

Jennings County, Indiana  
Print date: 04/17/2002  
Table ENG-5.--Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AddA: Avonburg-----	85	Very limited Restricted permeability Depth to saturated zone Depth to cemented pan	 1.00 1.00 0.69	Somewhat limited Depth to saturated zone Seepage Depth to cemented pan	 0.81 0.53 0.26
AddB2: Avonburg-----	75	Very limited Restricted permeability Depth to saturated zone Depth to cemented pan	 1.00 1.00 0.99	Somewhat limited Depth to cemented pan Depth to saturated zone Seepage Slope	 0.96 0.81 0.53 0.11
BbhA: Bartle-----	83	Very limited Depth to cemented pan Depth to saturated zone Restricted permeability	 1.00 1.00 0.46	Very limited Depth to cemented pan Depth to saturated zone Seepage	 1.00 0.81 0.53
BodAH: Bonnie-----	75	Very limited Flooding Ponding Depth to saturated zone Restricted	 1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Seepage	 1.00 1.00 1.00 0.53

		permeability			
CkkB2:					
Cincinnati-----	80	Very limited		Very limited	
		Depth to cemented	1.00	Depth to cemented	1.00
		pan		pan	
		Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone	
		Restricted	0.46	Seepage	0.53
		permeability			
				Slope	0.36

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CkkC2:					
Cincinnati, eroded--	100	Very limited		Very limited	
		Depth to cemented	1.00	Depth to cemented	1.00
		pan		pan	
		Depth to	1.00	Slope	1.00
		saturated zone			
		Restricted	0.46	Depth to	0.81
		permeability		saturated zone	
		Slope	0.04	Seepage	0.53
CkkC3:					
Cincinnati-----	100	Very limited		Very limited	
		Restricted	1.00	Slope	1.00
		permeability			
		Depth to	1.00	Seepage	0.53
		saturated zone			
		Slope	0.04	Depth to	0.08
				saturated zone	
CkkD2:					
Cincinnati-----	100	Very limited		Very limited	
		Restricted	1.00	Slope	1.00
		permeability			
		Depth to	1.00	Depth to	0.81
		saturated zone		saturated zone	
		Slope	1.00	Seepage	0.53
CkkD3:					
Cincinnati-----	100	Very limited		Very limited	
		Restricted	1.00	Slope	1.00
		permeability			
		Depth to	1.00	Seepage	0.53

			saturated zone			
			Slope	1.00	Depth to	0.08
					saturated zone	
CklC2:						
Cincinnati-----	60		Very limited		Very limited	
			Restricted	1.00	Slope	1.00
			permeability			
			Depth to	1.00	Depth to	0.81
			saturated zone		saturated zone	
			Slope	0.04	Seepage	0.53
Nabb-----	40		Very limited		Very limited	
			Depth to cemented	1.00	Depth to cemented	1.00
			pan		pan	
			Depth to	1.00	Seepage	0.53
			saturated zone			
					Slope	0.33
					Depth to	0.08
					saturated zone	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ClfA:					
Cobbsfork-----	75	Very limited		Very limited	
		Restricted	1.00	Ponding	1.00
		permeability			
		Ponding	1.00	Depth to	1.00
				saturated zone	
		Depth to	1.00	Seepage	0.53
		saturated zone			
CrbF:					
Corydon-----	85	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard	1.00
				bedrock	
		Slope	1.00	Slope	1.00
		Content of large	0.69	Content of large	0.99
		stones		stones	
Rock Outcrop-----	15	Not rated		Not rated	
CxdA:					
Cyclone-----	90	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00

		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00	Seepage	0.53
EdcAH:					
Eel-----	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.46	Seepage	0.53
EepA:					
Elkinsville-----	100	Somewhat limited		Somewhat limited	
		Restricted permeability	0.46	Seepage	0.53
EepB2:					
Elkinsville-----	100	Somewhat limited		Somewhat limited	
		Restricted permeability	0.46	Seepage	0.53
				Slope	0.33
EepC2:					
Elkinsville-----	100	Somewhat limited		Very limited	
		Restricted permeability	0.46	Slope	1.00
		Slope	0.04	Seepage	0.53

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
FdbA:					
Fincastle-----	84	Very limited		Somewhat limited	
		Restricted permeability	1.00	Depth to saturated zone	0.81
		Depth to saturated zone	1.00	Seepage	0.53
FdmB2:					
Fincastle-----	50	Very limited		Somewhat limited	
		Restricted permeability	1.00	Seepage	0.53
		Depth to saturated zone	1.00	Slope	0.33

Russell-----	30	Very limited		Somewhat limited	
		Restricted	1.00	Seepage	0.53
		permeability			
		Depth to	0.65	Slope	0.33
		saturated zone			
				Depth to	0.02
				saturated zone	
GccAH:					
Genesee-----	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Restricted	0.46	Seepage	0.53
		permeability			
GmcC2:					
Grayford-----	100	Somewhat limited		Very limited	
		Depth to bedrock	0.78	Slope	1.00
		Restricted	0.46	Seepage	0.53
		permeability			
		Slope	0.04	Depth to hard	0.42
				bedrock	
GmcC3:					
Grayford-----	100	Somewhat limited		Very limited	
		Depth to bedrock	0.78	Slope	1.00
		Slope	0.04	Seepage	0.53
				Depth to hard	0.42
				bedrock	
GmcD2:					
Grayford-----	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	0.78	Seepage	0.53
		Restricted	0.46	Depth to hard	0.42
		permeability		bedrock	
GmcD3:					
Grayford-----	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	0.78	Seepage	0.53
		Restricted	0.46	Depth to hard	0.42
		permeability		bedrock	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GufE2:					

Grayford-----	50	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	0.78	Seepage	0.53
		Restricted	0.46	Depth to hard	0.42
		permeability		bedrock	
Corydon-----	30	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard	1.00
				bedrock	
		Slope	1.00	Slope	1.00
				Seepage	0.53
Gxb:					
Gullied Land-----	100	Not rated		Not rated	
HcgAH:					
Haymond-----	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Restricted	0.46	Seepage	0.53
		permeability			
HeeE2:					
Hickory-----	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted	0.46	Seepage	0.53
		permeability			
HeeG:					
Hickory-----	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted	0.46	Seepage	0.53
		permeability			
JaeB2:					
Jennings-----	80	Very limited		Very limited	
		Depth to cemented	1.00	Depth to cemented	1.00
		pan		pan	
		Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone	
		Restricted	0.46	Seepage	0.53
		permeability			
				Slope	0.36
JaeC2:					
Jennings-----	100	Very limited		Very limited	
		Restricted	1.00	Slope	1.00
		permeability			
		Depth to	1.00	Depth to	0.81
		saturated zone		saturated zone	
		Slope	0.04	Seepage	0.53

Table ENG-5.--Sanitary Facilities--Continued

Map symbol	Pct.	Septic tank	Sewage lagoons
------------	------	-------------	----------------

and soil name	of map unit	absorption fields			
		Rating class and limiting features	Value	Rating class and limiting features	Value
JaeC3: Jennings-----	100	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.04	Very limited Slope Seepage Depth to saturated zone	1.00 0.53 0.25
JaeD2: Jennings-----	100	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 1.00	Very limited Slope Depth to saturated zone Seepage	1.00 0.81 0.53
JaeD3: Jennings-----	100	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 1.00	Very limited Slope Seepage Depth to saturated zone	1.00 0.53 0.25
MmoC3: Miami-----	97	Very limited Depth to saturated zone Restricted permeability Slope	1.00 1.00 0.04	Very limited Slope Depth to saturated zone Seepage	1.00 0.96 0.53
MnpC2: Miami-----	95	Very limited Depth to saturated zone Restricted permeability Slope	1.00 1.00 0.04	Very limited Slope Depth to saturated zone Seepage	1.00 0.96 0.53
MnpD2: Miami-----	95	Very limited Depth to saturated zone Restricted permeability Slope	1.00 1.00 1.00	Very limited Slope Depth to saturated zone Seepage	1.00 0.96 0.53

NaaA:					
Nabb-----	85	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.46	Seepage	0.53

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
NaaB2:					
Nabb-----	78	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.46	Seepage	0.53
				Slope	0.36
NaaB3:					
Nabb-----	78	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Seepage	0.53
				Slope	0.33
				Depth to saturated zone	0.08
PbbB2:					
Parke-----	100	Somewhat limited		Somewhat limited	
		Restricted permeability	0.46	Seepage	0.53
				Slope	0.33
PbbC2:					
Parke-----	100	Somewhat limited		Very limited	
		Restricted permeability	0.46	Slope	1.00
		Slope	0.04	Seepage	0.53
PbbC3:					
Parke-----	100	Somewhat limited		Very limited	



		Restricted permeability	0.46	Slope	1.00
		Slope	0.04	Seepage	0.53
PcrA:					
Pekin-----	90	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.46	Seepage	0.53
PcrB2:					
Pekin-----	90	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.46	Seepage	0.53
				Slope	0.36

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
PcrC2:					
Pekin-----	76	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Slope	1.00
		Restricted permeability	0.46	Depth to saturated zone	1.00
		Slope	0.04	Seepage	0.53
PhaA:					
Peoga-----	83	Very limited		Very limited	
		Restricted permeability	1.00	Ponding	1.00
		Ponding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Seepage	0.53
Pml:					
Pits, Quarry-----	100	Not rated		Not rated	

RpuE2:					
Rohan-----	75	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	0.28
RtcB2:					
Ryker-----	92	Somewhat limited		Somewhat limited	
		Restricted permeability	0.46	Seepage	0.53
				Slope	0.36
StaAH:					
Steff-----	88	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.46	Seepage	1.00
StdAH:					
Stendal-----	89	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.46	Seepage	0.53
ThaC2:					
Trappist-----	84	Very limited		Very limited	
		Restricted permeability	1.00	Depth to hard bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Slope	0.04		

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ThaD2:					
Trappist-----	100	Very limited		Very limited	
		Restricted permeability	1.00	Depth to hard bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Slope	1.00		

ThbC3:					
Trappist-----	75	Very limited		Very limited	
		Restricted	1.00	Depth to hard	1.00
		permeability		bedrock	
		Depth to bedrock	1.00	Slope	1.00
		Slope	0.04		
ThbD3:					
Trappist-----	100	Very limited		Very limited	
		Restricted	1.00	Depth to hard	1.00
		permeability		bedrock	
		Depth to bedrock	1.00	Slope	1.00
		Slope	1.00		
W:					
Water-----	100	Not rated		Not rated	
WaaAH:					
Wakeland-----	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone	
		Restricted	0.46	Seepage	0.53
		permeability			
WokAH:					
Wilbur-----	88	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone	
		Restricted	0.46	Seepage	0.53
		permeability			